L Number	Hits	Search Text	DB	Time stamp
-	15	x.121 and ((stor$4 sav$4) same address$4) and ((configuration address$4 rout$4) near4 table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 08:43
-	11	x.121 and ((stor$4 sav$4) same address$4) and ((configuration address$4 rout$4) near4 table) and nam$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 09:04
-	5	x.121 and (nam$4 same (stor$4 sav$4) same address$4) and ((configuration address$4 rout$4) near4 table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 08:46
-	6	(x.121 and ((stor$4 sav$4) same address$4) and ((configuration address$4 rout$4) near4 table) and nam$4) not (x.121 and (nam$4 same (stor$4 sav$4) same address$4) and ((configuration address$4 rout$4) near4 table))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 09:04
-	9	(address$4 and wildcard) and ((mac (media adj access adj control)) near10 address$4) and ((nam$4 address$4) same (stor$4 sav$4) same table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 09:49
-	198	((mac (media adj access adj control)) near10 address$4) and ((((stor$4 sav$4) same (source near4 address$4))) same (table database))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 11:56
-	25	((mac (media adj access adj control)) near10 address$4) and ((((stor$4 sav$4) same (source near4 address$4))) same (table database)) and (database and (mib (management adj informaiotn adj base)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 13:03
-	5	((mac (media adj access adj control)) near10 address$4) and ((((stor$4 sav$4) same (source near4 address$4))) same (table database)) and (database and (mib (management adj informaiotn adj base))) and (address$4 near10 pool$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 13:37
-	20	((mac (media adj access adj control)) near10 address$4) and (database and (mib (management adj informaiotn adj base))) and ((source adj4 address$4) same (stor$4 sav$4) same table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 14:20
-	317	(address$4 near7 (portion$4 position$4 section$4)) and (first near6 (portion$4 position$4 section$4 part)) and (second near6 (portion$4 position$4 section$4 part)) and ((replac$4 substitu$6 exchang$5) near7 address$4 near7 (portion$4 position$4 section$4 part)) and ((sav$4 stor$4) near6 address$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 09:26
-	4	((address$4 near7 (portion$4 position$4 section$4)) and (first near6 (portion$4 position$4 section$4 part)) and (second near6 (portion$4 position$4 section$4 part)) and ((replac$4 substitu$6 exchang$5) near7 address$4 near7 ((first second) near5 (portion$4 position$4 section$4 part))) and ((sav$4 stor$4) near6 address$4)) and ((ip mac) near5 address$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 09:31
-	121	((address$4 near11 (portion$4 position$4 section$4)) and (first near8 (portion$4 position$4 section$4 part)) and (second near8 (portion$4 position$4 section$4 part)) and ((replac$4 substitu$6 exchang$5) near9 address$4)) and ((ip mac) near5 address$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 12:55

-	140	((left right first second) same (portion$4 position$4 section$4 part) same (replac$4 substitu$6 exchang$5 (in adj place)) same (ip mac address$4)) and ((ip mac) near5 address$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 13:21
-	3	(address$4 near11 wildcard$4) same (replac$4 substitu$6 exchang$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 14:53
-	2	(address$4 near11 (wildcard$4 (wild adj card$4))) same (replac$4 substitu$6 exchang$5) and (wildcard$4 (wild adj card$4)) and ((ip mac) near5 address$4) and (rout$5 near11 (tabl$4 databas$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 15:42
-	3	(address$4 near11 (wildcard$4 (wild adj card$4))) same (replac$4 substitu$6 exchang$5) and (wildcard$4 (wild adj card$4)) and ((ip mac) near5 address$4) and (select$7 same (wildcard$4 (wild adj card$4)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 14:00
-	105	(address$4 near11 (wild-card$4 (wild$4 adj3 card$4) wildcard$4)) and (replac$4 substitu$6 exchang$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 14:05
-	21	((address$4 near11 (portion$4 position$4 section$4)) and (first near8 (portion$4 position$4 section$4 part)) and (second near8 (portion$4 position$4 section$4 part)) and ((replac$4 substitu$6 exchang$5) near9 address$4 near9 (portion$4 position$4 section$4 part)) and ((sav$4 stor$4) near8 address$4)) and ((ip mac) near5 address$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 14:27
-	49	(((dns (domain adj name adj (server system))) and ((stor$4 adj6 forward) store-and-forward$4)) and (rout$4 near7 table)) and (rout$4 near6 table) and (group$4 same address$4) and (dns (domain adj name adj (server system)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 14:28
-	6	((mac (media adj access adj control)) near10 address$4) and (database and (mib (management adj informaiotn adj base))) and (address$4 near10 pool$4) and ((stor$4 adj5 forward$4) same (table database))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 15:04
-	73	(address$4 near11 wildcard$4) and (replac$4 substitu$6 exchang$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 15:04
-	3	(address$4 near11 (wildcard$4 (wild adj card$4))) same (replac$4 substitu$6 exchang$5) and (wildcard$4 (wild adj card$4)) and ((ip mac) near5 address$4) and ((stor$4 sav$4) near11 address$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 15:04
-	69	((dns (domain adj name adj (server system))) and ((stor$4 adj6 forward) store-and-forward$4)) and (rout$4 near7 table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 15:05
-	29	((mac (media adj access adj control)) near10 address$4) and ((((stor$4 sav$4) same (source near4 address$4))) same (table database)) and (database and (mib (management adj informaiotn adj base)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 15:06
-	20	((mac (media adj access adj control)) near10 address$4) and (database and (mib (management adj informaiotn adj base))) and ((nam$4) same (stor$4 sav$4) same table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 15:06

-	53	((left right first second) same (portion$4 position$4 section$4 part) same (replac$4 substitu$6 exchang$5 (in adj place)) near7 (ip mac address$4)) and ((ip mac) near5 address$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 15:08
-	44	((address$4 near11 (portion$4 position$4 section$4)) and (right near8 (portion$4 position$4 section$4 part)) and (left near8 (portion$4 position$4 section$4 part)) and ((replac$4 substitu$6 exchang$5) near9 address$4)) and ((ip mac) near5 address$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 15:08
-	10	anycast$4 and (address$4 same (alter$6 wild$4 wild-card concat$4 concatenation operation character prefix$4 rang$4))	USPAT	2004/02/10 15:55
-	279	("ip6" "ipv6") and (address$4 same (alter$6 wild$4 wild-card concat$4 concatenation operation character prefix$4 rang$4))	USPAT	2004/02/10 16:21
-	142	("ip6" "ipv6") and (address$4 same (concat$4 concatenation prefix$4 rang$4))	USPAT	2004/02/10 16:21
-	108	multicast$4 and ((modif$5 chang$4 alter$6 replac$4 substitu$6 exchang$5 (in adj place)) with address$4 same (wild$4 wild-card concat$4 concatenation operation character prefix$4 rang$4) same (left right first second))	USPAT	2004/07/06 12:23
-	16	(multicast$4 and ((modif$5 chang$4 alter$6 replac$4 substitu$6 exchang$5 (in adj place)) with address$4 same (wild$4 wild-card concat$4 concatenation operation character prefix$4 rang$4) same (left right first second))) and (address$4 with substitu$6)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 11:49
-	323	709/$.ccls. and (multi-cast$4 multicast$4) adj address$4	USPAT	2004/07/06 13:01
-	33	(709/$.ccls. and (multi-cast$4 multicast$4) adj address$4) and ((modif$5 chang$4 alter$6 replac$4 substitu$6 exchang$5 (in adj place)) with address$4 same (wild$4 wild-card concat$4 concatenation operation character prefix$4 rang$4))	USPAT	2004/07/06 15:00
-	24	(address$4 near11 (wildcard$4 (wild adj card$4))) same (replac$4 substitu$6 exchang$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 14:59
-	205	(address$4 with grouping) and ((modif$5 chang$4 alter$6 replac$4 substitu$6 exchang$5 (in adj place)) with address$4 same (wild$4 wild-card concat$4 concatenation operation character prefix$4 rang$4))	USPAT	2004/07/06 15:01
-	6	709/$.ccls. and (address$4 with grouping) and ((modif$5 chang$4 alter$6 replac$4 substitu$6 exchang$5 (in adj place)) with address$4 same (wild$4 wild-card concat$4 concatenation operation character prefix$4 rang$4))	USPAT	2004/07/07 11:24
-	161	709/$.ccls. and (address$4 with rang$4) and ((modif$5 chang$4 alter$6 replac$4 substitu$6 (in adj place)) with address$4 same (wild$4 wild-card concat$4 concatenation character prefix$4 group rang$4))	USPAT	2004/07/06 16:16
-	17	709/$.ccls. and (address$4 with grouping) and ((modif$5 chang$4 alter$6 replac$4 substitu$6 (in adj place)) with address$4 same (wild$4 wild-card concat$4 concatenation character prefix$4 group rang$4))	USPAT	2004/07/06 16:16

C:\APPS\EAST\Workspaces\09511777.wsp

–	35	(US-6437805-$ or US-6425008-$ or US-6385615-$ or US-6065064-$ or US-5917823-$ or US-5113499-$ or US-6393478-$ or US-6216168-$ or US-6189102-$ or US-6049826-$ or US-6404861-$ or US-6151324-$ or US-6006275-$ or US-5886643-$ or US-5490252-$ or US-6122267-$ or US-6216159-$ or US-6088796-$ or US-5386413-$ or US-6115393-$ or US-6434144-$ or US-6411966-$ or US-6381650-$ or US-6262987-$ or US-5774660-$ or US-6112239-$).did. or (US-6611872-$ or US-6195751-$ or US-6160804-$ or US-6507869-$ or US-5835723-$ or US-5388213-$ or US-6151631-$ or US-6163810-$ or US-6104696-$).did.	USPAT	2004/07/07 10:57
–	1	fuzzycast$4 and (address$4 same (alter$6 wild$4 wild-card concat$4 concatenation operation character prefix$4 rang$4))	USPAT	2004/07/07 10:56
–	50	709/$.ccls. and (address$4 near group) and ((modif$5 chang$4 alter$6 replac$4 substitu$6 exchang$5 (in adj place)) with address$4 same (wild$4 wild-card concat$4 concatenation operation character prefix$4 rang$4))	USPAT	2004/07/07 11:29
–	77	709/$.ccls. and (address$4 with (subnet$4 sub-net$4)) and ((modif$5 chang$4 alter$6 replac$4 substitu$6 exchang$5 (in adj place)) with address$4 same (wild$4 wild-card concat$4 concatenation operation character prefix$4 rang$4))	USPAT	2004/07/07 11:29
–	63	(709/$.ccls. and (address$4 with (subnet$4 sub-net$4)) and ((modif$5 chang$4 alter$6 replac$4 substitu$6 exchang$5 (in adj place)) with address$4 same (wild$4 wild-card concat$4 concatenation operation character prefix$4 rang$4))) not (709/$.ccls. and (address$4 near group) and ((modif$5 chang$4 alter$6 replac$4 substitu$6 exchang$5 (in adj place)) with address$4 same (wild$4 wild-card concat$4 concatenation operation character prefix$4 rang$4)))	USPAT	2004/07/07 11:30
–	16	(address$4 near11 (wildcard$4 (wild adj card$4))) same (replac$4 substitu$6 exchang$5) and (wildcard$4 (wild adj card$4)) and ((ip mac) near5 address$4)	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/07/07 14:47